Northwest Science
Volume 81 (2007)
Author and Subject Index

AUTHOR entry headings are distinguished from subject entry headings by capitalization.

A

Alaska:
  fern-leaf goldthread, Willson and Anderson, 163-165
Alberta:
  fungi in flying squirrel diets, Wheatley, 265-273
algae:
  Cymbella janischii, Bahls, 284-292
  nutrient fluxes in the lower Yaquina estuary, Sin et al., 50-61
amphibians:
  Aneides in Washington, O'Donnell, 239-245
  habitat relationships of (*Plethodon stormi*), Welsh et al., 15-36
  surveying amphibians in seeps, O'Donnell et al., 274-283
ANDERSON, ELLEN M. *see* Willson and Anderson, 163-165
antelope:
  pronghorn in eastern Washington state, Lee, 104-111
arachnids:
  arboreal oribatid mite habitats, Lindo and Stevenson, 305-315
arthropods:
  arboreal oribatid mite habitats, Lindo and Stevenson, 305-315

B

BAHLS, LOREN L. *Cymbella janischii*—Giant endemic diatom of the Pacific Northwest: Morphology, ecology and distribution compared to *Cymbella mexicana*. 284-292
BAKER, MICHAEL D. *see* Lacki et al., 199-205
BART, JONATHAN R. Book Review: *Wildlife Demography—Analysis of Sex, Age, and Count Data* (John R. Skalski et al.), 82-84
bats:
  bat species in redwood hollows, Zielinski et al., 155-162
  prey consumption of bats, Lacki et al., 199-205
behavior:
  habitat relationships of (*Plethodon stormi*), Welsh et al., 15-36
  migratory behavior of elk, Smith, 251-264
  prey consumption of bats, Lacki et al., 199-205
  reproductive habits of red swamp crayfish, Mueller, 246-250
  tern and cormorant foraging patterns, Lyons et al., 91-103
  Willamette River Chinook salmon outmigration, Friesen et al., 173-190
BENNETT, DAVID H. *see* Clarke and Bennett, 215-223
biochemistry:
  nutrient fluxes in the lower Yaquina estuary, Sin et al., 50-61
  reference intervals for mountain goats, Rice and Hall, 206-214
biodiversity:
  arboreal oribatid mite habitats, Lindo and Stevenson, 305-315
  faunal make-up and rodents after volcanic eruptions, 333-336
  fungal diversity on conifer roots, Vandegrift et al., 125-137
  habitat relationships of (*Plethodon stormi*), Welsh et al., 15-36
biometrics:
  alternative thinning in Douglas-fir, Davis et al., 1-14 (Erratum: Vol. 81: No. 4)
  habitat relationships of (*Plethodon stormi*), Welsh et al., 15-36
biotechnology:
  clove concentrations for tagging steelhead, Kennedy et al., 147-154
birds:
  bat species in redwood hollows, Zielinski et al., 155-162
  prey consumption of bats, Lacki et al., 199-205
  tern and cormorant foraging patterns, Lyons et al., 91-103
bivalves:
  mining effects on freshwater mussels, Krueger et al., 323-332
book reviews:
  Fire in California's Ecosystems (Neil G. Sugihara et al.), Fonda, 337-339
  Wildlife Demography—Analysis of Sex, Age, and Count Data (Skalski et al.), Bart, 82-84
botany:
  bracken fern in coniferous forests, Griffiths and Filan, 191-198
  fern-leaf goldthread, Willson and Anderson, 163-165
  fungal diversity on conifer roots, Vandegrift et al., 125-137
  seed banks of invasive and native plant species, Clements et al., 37-49
  spotted knapweed following forest wildfires, Ferguson et al., 138-146
  years-to-breast-height, years-to-stump-height models, Nigh and Everett, 293-304
British Columbia:
  arboreal oribatid mite habitats, Lindo and Stevenson, 305-315
  seed banks of invasive and native plant species, Clements et al., 37-49
  temperature, desiccation on surf smelt egg development, Lee and Levings, 166-171
  years-to-breast-height, years-to-stump-height models, Nigh and Everett, 293-304

C

California:
  bat species in redwood hollows, Zielinski et al., 155-162
  fire in California's ecosystems (book review), Fonda, 337-339
  habitat relationships of (*Plethodon stormi*), Welsh et al., 15-36
Canada:
  arboreal oribatid mite habitats, Lindo and Stevenson, 305-315
  fungi in flying squirrel diets, Wheatley, 265-273
  seed banks of invasive and native plant species, Clements et al., 37-49

temperature, desiccation on surf smelt egg development, Lee and Levings, 166-171
years-to-breast-height, years-to-stump-height models, Nigh and Everett, 293-304
CASE, MICHAEL J. and DAVID L. PETERSON. Growth-climate relations of lodgepole pine in the North Cascades National Park, Washington. 62-75
CHAPMAN, PATRICK. *see* Krueger et al., 323-332
CHEN, HUA. *see* Vandegrift et al., 125-137
CLARKE, LANCE R. and DAVID H. BENNETT. Zooplankton production and planktivore consumption in Lake Pend Oreille, Idaho. 215-223
CLAYTON, DAVID R. *see* Welsh, Jr. et al., 15-36
CLEMENTS, DAVID R., PAM G. KRANNITZ, and SHAUNA M. GILLESPIE. Seed bank responses to grazing history by invasive and native plant species in a semi-desert shrub-steppe environment. 37-49
climate:
lodgepole pine growth-climate relations, Case and Peterson, 62-75
oak release alters microclimate, Devine and Harrington, 112-124
temperature, desiccation on surf smelt egg development, Lee and Levings, 166-171
Willamette River Chinook salmon outmigration, Friesen et al., 173-190
COLLIS, KEN. *see* Lyons et al., 91-103
Columbia River:
tern and cormorant foraging patterns, Lyons et al., 91-103
conifers:
bracken fern in coniferous forests, Griffiths and Filan, 191-198
fungal diversity on conifer roots, Vandegrift et al., 125-137
prey consumption of bats, Lacki et al., 199-205
years-to-breast-height, years-to-stump-height models, Nigh and Everett, 293-304
conservation:
alternative thinning in Douglas-fir, Davis et al., 1-14 (Erratum: Vol. 81: No. 4)
bat species in redwood hollows, Zielinski et al., 155-162
cormorants:
tern and cormorant foraging patterns, Lyons et al., 91-103
CRAIG, CHRISTINE L. *see* Ferguson et al., 138-146
crayfish:
reproductive habits of red swamp crayfish, Mueller, 246-250
crustaceans:
reproductive habits of red swamp crayfish, Mueller, 246-250

D
dams:
eulachon in the Elwha River, Shaffer et al., 76-81
DAVIS, LIANE R., KLAUS J. PUETTMANN, and GABRIEL F. TUCKER. Overstory response to alternative thinning treatments in young Douglas-fir forests of western Oregon. 1-14 (Erratum: Vol. 81: No. 4)
decapods:
reproductive habits of red swamp crayfish, Mueller, 246-250
demographics:
eulachon in the Elwha River, Shaffer et al., 76-81
wildlife demography (book review), Bart, 82-84
DEVINE, WARREN D. and CONSTANCE A. HARRINGTON. Release of Oregon white oak from overtopping Douglas-fir: Effects on soil water and microclimate. 112-124
diatoms:
Cymbella janischii, Bahls, 284-292
DODD, LUKE E. *see* Lacki et al., 199-205
Douglas-fir:
alternative thinning in Douglas-fir, Davis et al., 1-14 (Erratum: Vol. 81: No. 4)
oak release alters microclimate, Devine and Harrington, 112-124
years-to-breast-height, years-to-stump-height models, Nigh and Everett, 293-304

E
elk:
migratory behavior of elk, Smith, 251-264
endangered species:
habitat relationships of (*Plethodon stormi*), Welsh et al., 15-36
entomology:
arboreal oribatid mite habitats, Lindo and Stevenson, 305-315
epiphytes:
arboreal oribatid mite habitats, Lindo and Stevenson, 305-315
erratum:
alternative thinning in Douglas-fir, Davis et al., Vol. 81: No. 4
estuaries:
nutrient fluxes in the lower Yaquina estuary, Sin et al., 50-61
ethology:
bat species in redwood hollows, Zielinski et al., 155-162
habitat relationships of (*Plethodon stormi*), Welsh et al., 15-36
prey consumption of bats, Lacki et al., 199-205
reproductive habits of red swamp crayfish, Mueller, 246-250
tern and cormorant foraging patterns, Lyons et al., 91-103
Willamette River Chinook salmon outmigration, Friesen et al., 173-190
EVERETT, RICHARD. *see* Nigh and Everett, 293-304
exotics:
reproductive habits of red swamp crayfish, Mueller, 246-250
seed banks of invasive and native plant species, Clements et al., 37-49

F
FERGUSON, DENNIS E., CHRISTINE L. CRAIG, and KATE ZOE SCHNEIDER. Spotted knapweed (*Centaurea biebersteinii* DC) response to forest wildfires on the Bitterroot National Forest, Montana. 138-146
ferns:
bracken fern in coniferous forests, Griffiths and Filan, 191-198
FILAN, TRINA. *see* Griffiths and Filan, 191-198
fish:
clove concentrations for tagging steelhead, Kennedy et al., 147-154
eulachon in the Elwha River, Shaffer et al., 76-81
temperature, desiccation on surf smelt egg development, Lee and Levings, 166-171
Willamette River Chinook salmon outmigration, Friesen et al., 173-190
zooplankton production and planktivore consumption, Clarke and Bennett, 215-223
FONDA, RICHARD W. Book Review: *Fire in California's Ecosystems* (Neil G. Sugihara et al.), 337-339

forest fires:
fire in California's ecosystems (book review), Fonda, 337-339
spotted knapweed following forest wildfires, Ferguson et al., 138-146
forests:
alternative thinning in Douglas-fir, Davis et al., 1-14 (Erratum: Vol. 81: No. 4)
arboreal oribatid mite habitats, Lindo and Stevenson, 305-315
bracken fern in coniferous forests, Griffiths and Filan, 191-198
fire in California's ecosystems (book review), Fonda, 337-339
fungal diversity on conifer roots, Vandegrift et al., 125-137
fungi in flying squirrel diets, Wheatley, 265-273
habitat relationships of (*Plethodon stormi*), Welsh et al., 15-36
lodgepole pine growth-climate relations, Case and Peterson, 62-75
oak release alters microclimate, Devine and Harrington, 112-124
prey consumption of bats, Lacki et al., 199-205
spotted knapweed following forest wildfires, Ferguson et al., 138-146
surveying amphibians in seeps, O'Donnell et al., 274-283
years-to-breast-height, years-to-stump-height models, Nigh and Everett, 293-304
FRIESEN, THOMAS A., JOHN S. VILE, and ALENA L. PRIBYL. Outmigration of juvenile Chinook salmon in the lower Willamette River, Oregon. 173-190
fungi:
fungal diversity on conifer roots, Vandegrift et al., 125-137
fungi in flying squirrel diets, Wheatley, 265-273

G
GALE, WILLIAM L. *see* Kennedy et al., 147-154
genetics:
bat species in redwood hollows, Zielinski et al., 155-162
fungal diversity on conifer roots, Vandegrift et al., 125-137
hare abundance, Schwartz et al., 316-322
geochemistry:
bracken fern in coniferous forests, Griffiths and Filan, 191-198
nutrient fluxes in the lower Yaquina estuary, Sin et al., 50-61
oak release alters microclimate, Devine and Harrington, 112-124
geography:
arboreal oribatid mite habitats, Lindo and Stevenson, 305-315
Cymbella janischii, Bahls, 284-292
habitat relationships of (*Plethodon stormi*), Welsh et al., 15-36
pronghorn in eastern Washington state, Lee, 104-111
GILLESPIE, SHAUNA M. *see* Clements et al., 37-49
goats:
reference intervals for mountain goats, Rice and Hall, 206-214
grasslands:
fire in California's ecosystems (book review), Fonda, 337-339
seed banks of invasive and native plant species, Clements et al., 37-49
GRIFFITHS, ROBERT P. and TRINA FILAN. Effects of bracken fern invasions on harvested site soils in Pacific Northwest (USA) coniferous forests. 191-198

H
habitat:
arboreal oribatid mite habitats, Lindo and Stevenson, 305-315
habitat relationships of (*Plethodon stormi*), Welsh et al., 15-36
surveying amphibians in seeps, O'Donnell et al., 274-283
tern and cormorant foraging patterns, Lyons et al., 91-103
HALL, BRIGGS. *see* Rice and Hall, 206-214
HALLOCK, MOLLY. *see* Krueger et al., 323-332
HARMON, MARK E. *see* Vandegrift et al., 125-137
HARRINGTON, CONSTANCE A. *see* Devine and Harrington, 112-124
HAYES, MARC P. *see* O'Donnell et al., 274-283
hematology:
reference intervals for mountain goats, Rice and Hall, 206-214
hermaphrodites:
fern-leaf goldthread, Willson and Anderson, 163-165
herpetology:
Aneides in Washington, O'Donnell, 239-245
history:
Aneides in Washington, O'Donnell, 239-245
fire in California's ecosystems (book review), Fonda, 337-339
pronghorn in eastern Washington state, Lee, 104-111
hydrology:
natural vegetative disturbance and streams, Roper et al., 224-238

I
Idaho:
natural vegetative disturbance and streams, Roper et al., 224-238
prey consumption of bats, Lacki et al., 199-205
zooplankton production and planktivore consumption, Clarke and Bennett, 215-223
invertebrates:
arboreal oribatid mite habitats, Lindo and Stevenson, 305-315
mining effects on freshwater mussels, Krueger et al., 323-332
IRIE, KIYOSHI and SHIRO TSUYUZAKI. NWS Notes: Faunal make-up and abundance of rodents 17 years after volcanic eruptions. 333-336

J
Japan:
faunal make-up and rodents after volcanic eruptions, 333-336
JARVIS, BEAU. *see* Roper et al., 224-238
JOHNSON, JOSEPH S. *see* Lacki et al., 199-205

K
KENNEDY, BENJAMEN M., WILLIAM L. GALE, and KENNETH G. OSTRAND. Evaluation of clove oil concentrations for use as an anesthetic during field processing and passive integrated transponder implantation of juvenile steelhead. 147-154
KERSHNER, JEFFREY L. *see* Roper et al., 224-238
knapweed:
spotted knapweed following forest wildfires, Ferguson et al., 138-146
KRANNITZ, PAM G. *see* Clements et al., 37-49
KRUEGER, KIRK, PATRICK CHAPMAN, MOLLY HALLOCK, and TIMOTHY QUINN. Some effects of suction

dredge placer mining on the short-term survival of freshwater mussels in Washington. 323-332

L
LACKI, MICHAEL J., JOSEPH S. JOHNSON, LUKE E. DODD, and MICHAEL D. BAKER. Prey consumption of insectivorous bats in coniferous forests of north-central Idaho. 199-205
lakes:
reproductive habits of red swamp crayfish, Mueller, 246-250
zooplankton production and planktivore consumption, Clarke and Bennett, 215-223
landscape:
natural vegetative disturbance and streams, Roper et al., 224-238
spotted knapweed following forest wildfires, Ferguson et al., 138-146
larch:
years-to-breast-height, years-to-stump-height models, Nigh and Everett, 293-304
LEE, CHRIS G. and COLIN D. LEVINGS. NWS Notes: The effects of temperature and desiccation on surf smelt (*Hypomesus pretiosus*) embryo development and hatching success: Preliminary field and laboratory observations. 166-171
leporidae:
hare abundance, Schwartz et al., 316-322
LEVINGS, COLIN D. *see* Lee and Levings, 166-171
lichen:
arboreal oribatid mite habitats, Lindo and Stevenson, 305-315
LINDO, ZOË and SUSAN K. STEVENSON. Diversity and distribution of oribatid mites (Acari: oribatida) associated with arboreal and terrestrial habitats in cedar-hemlock forests, British Columbia, Canada. 305-315
LYMAN, R. LEE. The Holocene history of pronghorn (*Antilocapra americana*) in eastern Washington state. 104-111
LYONS, DONALD E., DANIEL D. ROBY, and KEN COLLIS. Foraging patterns of Caspian terns and double-crested cormorants in the Columbia River estuary. 91-103

M
mammals, large:
migratory behavior of elk, Smith, 251-264
pronghorn in eastern Washington state, Lee, 104-111
reference intervals for mountain goats, Rice and Hall, 206-214
mammals, small:
bat species in redwood hollows, Zielinski et al., 155-162
faunal make-up and rodents after volcanic eruptions, 333-336
hare abundance, Schwartz et al., 316-322
prey consumption of bats, Lacki et al., 199-205
marine biology:
nutrient fluxes in the lower Yaquina estuary, Sin et al., 50-61
temperature, desiccation on surf smelt egg development, Lee and Levings, 166-171
MAZUREK, MARY JO. *see* Zielinski et al., 155-162
McHENRY, MIKE. *see* Shaffer et al., 76-81
McKELVEY, KEVIN S. *see* Schwartz et al., 316-322
methodology:
bat species in redwood hollows, Zielinski et al., 155-162
clove concentrations for tagging steelhead, Kennedy et al., 147-154
hare abundance, Schwartz et al., 316-322
surveying amphibians in seeps, O'Donnell et al., 274-283
wildlife demography (book review), Bart, 82-84
years-to-breast-height, years-to-stump-height models, Nigh and Everett, 293-304
mining:
mining effects on freshwater mussels, Krueger et al., 323-332
mollusks:
mining effects on freshwater mussels, Krueger et al., 323-332
Montana:
natural vegetative disturbance and streams, Roper et al., 224-238
spotted knapweed following forest wildfires, Ferguson et al., 138-146
morphology:
Cymbella janischii, Bahls, 284-292
fungal diversity on conifer roots, Vandegrift et al., 125-137
temperature, desiccation on surf smelt egg development, Lee and Levings, 166-171
MUELLER, KARL W. NWS Notes: Reproductive habits of non-native red swamp crayfish (*Procambarus clarkii*) at Pine Lake, Sammamish, Washington. 246-250
mycology:
fungal diversity on conifer roots, Vandegrift et al., 125-137
fungi in flying squirrel diets, Wheatley, 265-273

N
national parks:
lodgepole pine growth-climate relations, Case and Peterson, 62-75
NIGH, GORDON D. and RICHARD EVERETT. Years-to-stump-height and years-to-breast-height models for interior Douglas-fir, western larch, and ponderosa pine. 293-304
North Cascades National Park, lodgepole pine growth-climate relations, Case and Peterson, 62-75
nutrition:
fungi in flying squirrel diets, Wheatley, 265-273
prey consumption of bats, Lacki et al., 199-205
zooplankton production and planktivore consumption, Clarke and Bennett, 215-223
NWS Notes:
Aneides in Washington, O'Donnell, 239-245
eulachon in the Elwha River, Shaffer et al., 76-81
faunal make-up and rodents after volcanic eruptions, 333-336
fern-leaf goldthread, Willson and Anderson, 163-165
reproductive habits of red swamp crayfish, Mueller, 246-250
temperature, desiccation on surf smelt egg development, Lee and Levings, 166-171

O
oaks:
oak release alters microclimate, Devine and Harrington, 112-124
O'DONNELL, RYAN P., TIMOTHY QUINN, and MARC P. HAYES. Comparison of three methods for surveying amphibians in forested seep habitats in Washington state. 274-283
_____. NWS Notes: Erroneous historical records of climbing salamanders (*Aneides*) in Washington state, U.S.A. 239-245
OLLIVIER, LISA M. *see* Welsh, Jr. et al., 15-36

Oregon:
alternative thinning in Douglas-fir, Davis et al., 1-14 (Erratum: Vol. 81: No. 4)
bracken fern in coniferous forests, Griffiths and Filan, 191-198
fungal diversity on conifer roots, Vandegrift et al., 125-137
habitat relationships of (*Plethodon stormi*), Welsh et al., 15-36
nutrient fluxes in the lower Yaquina estuary, Sin et al., 50-61
tern and cormorant foraging patterns, Lyons et al., 91-103
Willamette River Chinook salmon outmigration, Friesen et al., 173-190
OSTRAND, KENNETH G. *see* Kennedy et al., 147-154

P
PENTTILA, DAN. *see* Shaffer et al., 76-81
PETERSON, DAVID L. *see* Case and Peterson, 62-75
phycology:
nutrient fluxes in the lower Yaquina estuary, Sin et al., 50-61
phylogeny:
pronghorn in eastern Washington state, Lee, 104-111
physiology:
reproductive habits of red swamp crayfish, Mueller, 246-250
temperature, desiccation on surf smelt egg development, Lee and Levings, 166-171
PILGRIM, KRISTINE L. *see* Schwartz et al., 316-322
pines:
lodgepole pine growth-climate relations, Case and Peterson, 62-75
years-to-breast-height, years-to-stump-height models, Nigh and Everett, 293-304
plankton:
zooplankton production and planktivore consumption, Clarke and Bennett, 215-223
PRIBYL, ALENA L. *see* Friesen et al., 173-190
PUETTMANN, KLAUS J. *see* Davis et al., 1-14

Q
QUINN, TIMOTHY. *see* Krueger et al., 323-332
_____. *see* O'Donnell et al., 274-283

R
rangelands *see* grasslands
redwoods:
bat species in redwood hollows, Zielinski et al., 155-162
reproduction:
fern-leaf goldthread, Willson and Anderson, 163-165
reproductive habits of red swamp crayfish, Mueller, 246-250
temperature, desiccation on surf smelt egg development, Lee and Levings, 166-171
resource management:
alternative thinning in Douglas-fir, Davis et al., 1-14 (Erratum: Vol. 81: No. 4)
bracken fern in coniferous forests, Griffiths and Filan, 191-198
fire in California's ecosystems (book review), Fonda, 337-339
lodgepole pine growth-climate relations, Case and Peterson, 62-75
natural vegetative disturbance and streams, Roper et al., 224-238
seed banks of invasive and native plant species, Clements et al., 37-49
spotted knapweed following forest wildfires, Ferguson et al., 138-146
zooplankton production and planktivore consumption, Clarke and Bennett, 215-223
RICE, CLIFFORD G. and BRIGGS HALL. Hematologic and biochemical reference intervals for mountain goats (*Oreamnos americanus*): Effects of capture conditions. 206-214
RIVERA, PILAR T. *see* Schwartz et al., 316-322
rivers:
eulachon in the Elwha River, Shaffer et al., 76-81
mining effects on freshwater mussels, Krueger et al., 323-332
natural vegetative disturbance and streams, Roper et al., 224-238
nutrient fluxes in the lower Yaquina estuary, Sin et al., 50-61
tern and cormorant foraging patterns, Lyons et al., 91-103
Willamette River Chinook salmon outmigration, Friesen et al., 173-190
ROBY, DANIEL D. *see* Lyons et al., 91-103
Rocky Mountains, spotted knapweed following forest wildfires, Ferguson et al., 138-146
rodents:
faunal make-up and rodents after volcanic eruptions, 333-336
fungi in flying squirrel diets, Wheatley, 265-273
ROPER, BRETT B., BEAU JARVIS, and JEFFREY L. KERSHNER. The role of natural vegetative disturbance in determining stream reach characteristics in central Idaho and western Montana. 224-238
RUGGIERO, LEONARD F. *see* Schwartz et al., 316-322
ruminants:
migratory behavior of elk, Smith, 251-264
RYDING, KRISTEN E. *see* O'Donnell et al., 274-283

salamanders:
Aneides in Washington, O'Donnell, 239-245
habitat relationships of (*Plethodon stormi*), Welsh et al., 15-36

S
salmon:
Willamette River Chinook salmon outmigration, Friesen et al., 173-190
SCHNEIDER, KATE ZOE. *see* Ferguson et al., 138-146
SCHWARTZ, MICHAEL K., KRISTINE L. PILGRIM, KEVIN S. MCKELVEY, PILAR T. RIVERA, AND LEONARD F. RUGGIERO. DNA markers for identifying individual snowshoe hares using field-collected pellets. 316-322
SHAFFER, J. ANNE, DAN PENTTILA, MIKE MCHENRY, and DON VILELLA. NWS Notes: Observations of Eulachon, *Thaleichthys pacificus* in the Elwha River, Olympic Peninsula Washington. 76-81
SIGLEO, ANNE C. *see* Sin et al., 50-61
silvaculture:
alternative thinning in Douglas-fir, Davis et al., 1-14 (Erratum: Vol. 81: No. 4)
lodgepole pine growth-climate relations, Case and Peterson, 62-75
years-to-breast-height, years-to-stump-height models, Nigh and Everett, 293-304
SIN, YONGSIK, ANNE C. SIGLEO, and EUNSOOK SONG. Nutrient fluxes in the microalgal-dominated intertidal regions of the lower Yaquina estuary, Oregon (USA). 50-61

Siskiyou Mountains:
habitat relationships of (*Plethodon stormi*), Welsh et al., 15-36
smelt:
temperature, desiccation on surf smelt egg development, Lee and Levings, 166-171
SMITH, BRUCE L. Migratory behavior of hunted elk. 251-264
snowshoe hares:
hare abundance, Schwartz et al., 316-322
soils:
bracken fern in coniferous forests, Griffiths and Filan, 191-198
oak release alters microclimate, Devine and Harrington, 112-124
seed banks of invasive and native plant species, Clements et al., 37-49
SONG, EUNSOOK. *see* Sin et al., 50-61
squirrels:
fungi in flying squirrel diets, Wheatley, 265-273
STAUFFER, HOWARD. *see* Welsh, Jr. et al., 15-36
steelhead:
clove concentrations for tagging steelhead, Kennedy et al., 147-154
STEVENSON, SUSAN K. *see* Lindo and Stevenson, 305-315
streams:
natural vegetative disturbance and streams, Roper et al., 224-238
nutrient fluxes in the lower Yaquina estuary, Sin et al., 50-61

T
taxonomy:
bat species in redwood hollows, Zielinski et al., 155-162
Cymbella janischii, Bahls, 284-292
hare abundance, Schwartz et al., 316-322
terns:
tern and cormorant foraging patterns, Lyons et al., 91-103
TSUYUZAKI, SHIRO. *see* Irie and Tsuyuzaki, 333-336
TUCKER, GABRIEL F. *see* Davis et al., 1-14

U
ungulates:
pronghorn in eastern Washington state, Lee, 104-111
reference intervals for mountain goats, Rice and Hall, 206-214
urban interface:
fire in California's ecosystems (book review), Fonda, 337-339

V
VANDEGRIFT, ELEANOR V. H., HUA CHEN, and MARK E. HARMON. Fungal genetic diversity within decomposing woody conifer roots in Oregon, U.S.A. 125-137
vertebrates:
faunal make-up and rodents after volcanic eruptions, 333-336
fungi in flying squirrel diets, Wheatley, 265-273
hare abundance, Schwartz et al., 316-322
migratory behavior of elk, Smith, 251-264
prey consumption of bats, Lacki et al., 199-205
pronghorn in eastern Washington state, Lee, 104-111
reference intervals for mountain goats, Rice and Hall, 206-214
surveying amphibians in seeps, O'Donnell et al., 274-283
veterinary medicine:
clove concentrations for tagging steelhead, Kennedy et al., 147-154
reference intervals for mountain goats, Rice and Hall, 206-214
VILE, JOHN S. *see* Friesen et al., 173-190
VILELLA, DON. *see* Shaffer et al., 76-81
volcanos:
faunal make-up and rodents after volcanic eruptions, 333-336

W
wapiti:
migratory behavior of elk, Smith, 251-264
Washington:
Aneides in Washington, O'Donnell, 239-245
eulachon in the Elwha River, Shaffer et al., 76-81
lodgepole pine growth-climate relations, Case and Peterson, 62-75
mining effects on freshwater mussels, Krueger et al., 323-332
oak release alters microclimate, Devine and Harrington, 112-124
pronghorn in eastern Washington state, Lee, 104-111
reference intervals for mountain goats, Rice and Hall, 206-214
reproductive habits of red swamp crayfish, Mueller, 246-250
surveying amphibians in seeps, O'Donnell et al., 274-283
tern and cormorant foraging patterns, Lyons et al., 91-103
watersheds:
natural vegetative disturbance and streams, Roper et al., 224-238
WELSH, HARTWELL H., JR., HOWARD STAUFFER, DAVID R. CLAYTON, and LISA M. OLLIVIER. Strategies for modeling habitat relationships of uncommon species: An example using the Siskiyou Mountains salamander (*Plethodon stormi*). 15-36
WHEATLEY, MATTHEW. Fungi in summer diets of northern flying squirrels (*Glaucomys sabrinus*) within managed forests of western Alberta, Canada. 265-273
wildlife management:
clove concentrations for tagging steelhead, Kennedy et al., 147-154
hare abundance, Schwartz et al., 316-322
migratory behavior of elk, Smith, 251-264
prey consumption of bats, Lacki et al., 199-205
pronghorn in eastern Washington state, Lee, 104-111
reference intervals for mountain goats, Rice and Hall, 206-214
surveying amphibians in seeps, O'Donnell et al., 274-283
wildlife demography (book review), Bart, 82-84

WILLSON, MARY F. and ELLEN M. ANDERSON. NWS Notes: Natural history of fern-leaf goldthread (*Coptis asplenifolia*) in Juneau, Alaska. 163-165
Wyoming:
migratory behavior of elk, Smith, 251-264

XYZ
ZIELINSKI, WILLIAM J., MARY JO MAZUREK, and JANET ZINCK. Identifying the species of bats roosting in redwood basal hollows using genetic methods. 155-162
ZINCK, JANET. *see* Zielinski et al., 155-162